

## DSA-103 Issued 9/1/2017 List of Required Structural Tests & Special Inspections - 2016 CBC

INCREMENT #	DSA File No.: Application No.:		44-42		
			01-118048		
Date Submitted:	3.01.19	Re	vised:		
		Re	vised:		

Sc	ho	ol
- A	lam	

**Mission Hill Middle School** 

District Santa Cruz City Schools

IMPORTANT: This form is only a summary list of structural tests and some of the special inspections required for the project. Generally, the structural tests and special inspections noted on this form are those that will be performed by the Geotechnical Engineer of Record, Laboratory of Record, or Special Inspector. The actual complete test and inspection program must be performed as detailed on the DSA approved documents. The appendix at the bottom of this form identifies work NOT subject to DSA requirements for special inspection or structural testing. The project inspector is responsible for providing inspection of all facets of construction, including but not limited to, special inspections not listed on this form such as structural wood framing, high-load wood diaphragms, cold-formed steel framing, anchorage of non-structural components, etc., per Title 24, Part 2, Chapter 17A.

NOTE: This form is also available for projects submitted for review under the 2007, 2010, and 2013 CBC.

**INSTRUCTIONS:** Click a plus sign (+) before any category or subcategory to reveal additional tests and special inspections. A shaded box indicates a test or special inspection that may be required, depending on the scope of the construction and other issues. A shaded box can be clicked indicating your selection of that test. **Note:** A minus (-) on a category or subcategory heading indicates that it can be collapsed. However, any selections you may have made will be cleared. Click on the "COMPILE" button to show only the tests and inspections finally selected. **For more information on use of this form, see DSA-103.INSTR.** 

	Note: References are to the 2016 edition of the California Building Code (CBC) unless otherwise noted.					
	TEST OR SPECIAL INSPECTION  REPLACE  RE					
+	SOILS					
-	CONCRETE Table 1705A.3, ACI 318-14 Sections 26.12 & 26.13					
-	11. POST-INSTALLED ANCHORS:					
x	a. Inspect installation of post-installed anchors	See Notes	SI*	Table 1705A.3 Item 4a (Continuous) & 4b (Periodic) (see Appendix for exemptions). ACI 318-14 Sections 17.8 & 26.13 * May be performed by the project inspector when specifically approved by DSA.		
X	b. Test post-installed anchors.	Test	LOR	<b>1910A.5</b> (1909.2.7 <sup>+</sup> ). (See Appendix for exemptions.)		
+	MASONRY	TMS 402-13/A	CI 530-1	3/ASCE 5-13 Table 3.1.3 & TMS 602-13/ACI 530.1-13/ASCE 6-13 Table 5		
+	STEEL, ALUMINUM	Table 1705A.2	.1, AISC	C 303-10, AISC 360-10, AISC 341-10, AISC 358-10, AISI S100-07/S2-10		
+	WOOD					
+	OTHER					



## DSA-103 Issued 9/1/2017 List of Required Structural Tests & Special Inspections - 2016 CBC

INCREMENT #	DSA File No.: Application No.:	44-42 01-118048		
Date Submitted:	3.01.19	Re	vised:	
		Re	vised:	

aboratory Verified Report - Form DSA-291		
2 Performed By -		
GE – Indicates that the special inspection is to be performed by a registered geotechnical engineer or her authorized representative		
LOR – Indicates that the test or inspection is to be performed by a testing laboratory accepted in the DSA Laboratory Evaluation and Acceptance (LEA) Program. See section 4-335, 2013 CCR Title 24, Part 1.		
SI – Indicates that the special inspection is to be performed by a special inspector		
IDENTIFICATION STAMP DIV OF THE STATE ARCHITECT APP. # 01-118048  AC N/A F/LS N/A SS  DATE		
APPROVED DIV. OF THE STATE ARCHITECT		
APP. 01-118048 INC:  REVIEWED FOR  SS P FLS P HEST ACS P		

Appendix: Work Exempt from DSA Requirements for Special Inspection or Structural Testing



DSA-103 Issued 9/1/2017

## List of Required Structural Tests & Special Inspections - 2016 CBC

INCREMENT #	DSA File No.: Application No.:	44-42 01-118048			
Date Submitted:	3.01.19		vised:		

Exempt items given in IR A-22 or the 2016 CBC (including DSA amendments) and those items identified below with an "X" by the design professional are NOT subject to DSA requirements for the structural tests or special inspections noted. Items marked as exempt shall be identified by either: 1) listing specific details/sheets noted in the spaces provided below OR 2) on the approved construction documents. The project inspector shall verify all construction complies with the approved construction documents.

	Soils:
	ed d grad
10	richt dight
Kite	Dec
	Soils:
	The property and a continuous forming according to
	minimum allowable pressures per 2016 CBC Table 1806A.2 and having no
	geotechnical report for the following types of structures: free standing sign,
	scrolling message sign, scoreboard, covered walkway or shade structure with dead load less than 5 psf and other light-weight structures of which the apex is
X	less than 8' above the highest adjacent grade.
	Shallow foundations meeting the exception item #1 criteria specified in 2016
₩7	CBC Section 1803A.2.
X (Ontine	nol) Liet deteile feu conliechte avenut item
Option	nal) List details for applicable exempt items:
	Concrete/Masonry:
	Post-installed anchors for the following: 1) exempt non-structural
	components (e.g., mechanical, electrical, plumbing equipment - see item 7 for
	"Welding") given in CBC Section 1616A.1.18 (which replaces ASCE 7-10, Section 13.1.4) or 2) interior nonstructural wall partitions meeting criteria listed
x	in exempt item 3 for "Welding."
A	
	2. Concrete batch plant inspection is not required for items given in CBC
X	Section 1705A.3.3.2 subject to the requirements and limitations in that section.
	3. Masonry retaining walls less than 4'-0" above the top of foundation not
	supporting a surcharge and free standing nonbearing non-shear masonry walls
	up to 6'-0" above adjacent grade do not require grout, mortar or masonry core
X	testing or DSA special inspection.
X	4. Epoxy shear dowels in site flatwork.
	nal) List details for applicable exempt items:
,	

	Desdut Prot
	die of the
ter	
145	<u>Y</u>
	Welding:
	1. Solid-clad and open-mesh gates with maximum leaf span or rolling section for rolling gates of 10'
	and apex height less than 8'-0" above lowest adjacent grade. When located above circulation or occupied space below, these gates are not located within 1.5x gate/fence height (max 8'-0") to the
	edge of floor or roof.
x	
A	
	Handrails, guardrails, and modular or relocatable ramps associated with walking surfaces less than 30" above adjacent grade (excluding post base connections per the 'Exception' language in
X	Section 1705A.2.1); fillet welds cannot be ground flush.
	3. Non-structural interior cold-formed steel framing spanning less than 15'-0", such as in interior
	partitions, interior soffits, etc. supporting only self weight and light-weight finishes or adhered tile,
	masonry, stone, or terra cotta veneer no more than 5/8" thickness and apex less than 20'-0" in
X	height and not over an exit way. Maximum tributary load to a member shall not exceed the equivalent of that occurring from a 10'x10' opening in a 15' tall wall for a header or king stud.
	Manufactured support frames and curbs using hot rolled or cold-formed steel (i.e., light gauge) for
	mechanical, electrical, or plumbing equipment weighing less than 2000# (equipment only)
	(connections of such frames to superstructure elements using welding will require special inspection
X	as noted in selected item(s) for section 19, 19.1 and/or 19.2 of listing above).
	5. Manufactured components (e.g., Tolco, B-Line, Afcon, etc.) for mechanical, electrical, or plumbing
	hanger support and bracing (connections of such components to superstructure elements using
	welding will require special inspection as noted in selected item(s) for section 19, 19.1 and/or 19.2 of listing above).
X	iisting above).
	6. TV Brackets, projector mounts with a valid listing (see DSA IR A-5) and recreational equipment
	(e.g., playground structures, basketbail backstops, etc.) (connections of such elements to
x	superstructure elements using welding will require special inspection as noted in selected item(s) for
12	section 19, 19.1 and/or 19.2 of listing above).  7. Any support for exempt non-structural components given in CBC Section 1616A.1.18 (which
- 4	replaces ASCE 7-10, Section 13.1.4) meeting the following: 1) when supported on a floor/roof, <400#
	and resulting composite center of mass (including component's center of mass) <= 4' above
W	supporting floor/roof, 2) when hung from a wall or roof/floor, <20# for discrete units or <5 plf for
X	distributed systems.
Optiona	List details for applicable exempt items:



List of Required Structural Tests & Special Inspections - 2016 CBC

INCREMENT #	DSA File No.:	44-42 01-118048		
	Application No.:			
Date Submitted:	3.01.19	Revised	d:	
		Devilee	d.	